

# TrowelPave Asphalt - Regular Set

20LB | 40LB BUCKET KIT

For more information, visit [TechniSoil.com](http://TechniSoil.com)



## FEATURES & BENEFITS:


TrowelPave Asphalt - Regular Set is a cold mix, cold applied asphalt patching repair product. The patented technology is commonly used for street and highway repairs to reduce asphalt degradation from high volume vehicle traffic and inclement weather. TrowelPave is a strong, versatile cold patch used for potholes, alligator cracks, ADA compliant access ramps, and shallow overlays. TrowelPave Asphalt - Regular Set is available in ready-to-use 20-pound bucket kits for smaller projects, and 40-pound bucket kits for larger projects.

- **Open to traffic in as little as 2 hours**
- **Weatherproof after 95% mechanical compaction**
- Commonly used for potholes, broken edges, alligator cracks, access ramps, overlays, & more
- Strong, durable, permanent asphalt repair
- Supports car, truck, forklift, & heavy equipment traffic
- Reduces asphalt life cycle costs
- Contains 95% recycled materials (RAP)
- Proudly manufactured in the U.S.A.

## COVERAGE RATE:

**294 IN<sup>3</sup> | 0.17 FT<sup>3</sup> | 4814 CM<sup>3</sup>**  
US METRIC  
**PER 20 LBS TrowelPave™**

Square Footage per 20 lbs TrowelPave



**TechniSoil Global, Inc.**

Phone: 877-356-2250

Fax: 866-356-8880

Email: [Info@TechniSoil.com](mailto:Info@TechniSoil.com)

**Innovation For Modern Landscapes**

[TechniSoil.com](http://TechniSoil.com)



# Safety Data Sheet

Issuing Date No data available

Revision Date 20-Sep-2016

Revision Number 2

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** TrowelPave Asphalt

**Recommended Use** Pothole Repair; Leveling Compound; Crack Repair

**Supplier Address**

TechniSoil Global, Inc.  
5660 Westside Road  
Redding, CA 96001 USA  
Phone: 877-356-2250  
Fax: 866-356-8880  
Email: Info@TechniSoil.com

## 2. HAZARDS IDENTIFICATION

### WARNING!

#### Emergency Overview

Irritating to eyes

Irritating to skin

May produce an allergic reaction

Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates.

**Appearance** Dark

**Physical State** Viscous liquid, Liquid.

**Odor** Musty

### Potential Health Effects

#### Principle Routes of Exposure

Eye contact. Skin contact. Inhalation.

#### Acute Toxicity

##### Eyes

Irritating to eyes.

##### Skin

Irritating to skin. Will bond to skin May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

##### Inhalation

No known effect based on information supplied.

##### Ingestion

No hazard from product as supplied. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Chronic Effects

Avoid repeated exposure. Repeated contact may cause allergic reactions in very susceptible persons.

#### Aggravated Medical Conditions

Allergies. Skin disorders. Respiratory disorders. Pre-existing eye disorders.

#### Interactions with Other Chemicals

Irritants. Sensitizers. Epoxies. Use of alcoholic beverages may enhance toxic effects.

#### Environmental Hazard

See Section 12 for additional Ecological Information.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Aggregate Blend	Proprietary	100
Liquid Binding Agent	Proprietary	60-100
Liquid Binding Agent	Proprietary	30-60
Liquid Binding Agent	Proprietary	1 - 5
Liquid Binding Agent	Proprietary	1 - 5

### 4. FIRST AID MEASURES

<b>General Advice</b>	Immediate medical attention is required. If symptoms persist, call a physician.
<b>Eye Contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician immediately.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Do not remove clothing if adhering to skin. If skin has bonded to clothing or other skin NEVER pull the area apart. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Immediate medical attention is required.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
<b>Ingestion</b>	Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary
<b>Notes to Physician</b>	Treat symptomatically. May cause sensitization of susceptible persons.
<b>Protection of First-aiders</b>	Use personal protective equipment. Avoid contact with skin, eyes and clothing.

### 5. FIRE-FIGHTING MEASURES

<b>Flammable Properties</b>	Not flammable.
<b>Flash Point</b>	Not determined.
<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Uniform Fire Code</b>	<ul style="list-style-type: none"> <li>• Toxic: Liquid</li> <li>• Sensitizer: Liquid</li> </ul>
<b>Hazardous Combustion Products</b>	Carbon oxides.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	No.
<b>Specific Hazards Arising from the Chemical</b>	Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact.
<b>Sensitivity to Static Discharge</b>	No.
<b>Protective Equipment and Precautions for Firefighters</b>	
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	

<b>NFPA</b>	<b>Health Hazard 2</b>	<b>Flammability 0</b>	<b>Stability 0</b>	<b>Physical and Chemical Hazards -</b>
-------------	------------------------	-----------------------	--------------------	--

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.
<b>Environmental Precautions</b>	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.
<b>Methods for Cleaning Up</b>	Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation.
<b>Storage</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Liquid Binding Agent	TWA: 0.005 ppm	(vacated) S* (vacated) Ceiling: 0.01 ppm (vacated) Ceiling: 0.11 mg/m <sup>3</sup>	Ceiling: 0.01 ppm Ceiling: 0.11 mg/m <sup>3</sup>
Liquid Binding Agent	STEL: 0.2 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> Sn S*	TWA: 0.1 mg/m <sup>3</sup> Sn (vacated) TWA: 0.1 mg/m <sup>3</sup> Sn (vacated) S*	IDLH: 25 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> except Cyhexatin Sn

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

<b>Other Exposure Guidelines</b>	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
<b>Engineering Measures</b>	Showers Eyewash stations Ventilation systems
<b>Personal Protective Equipment</b>	
<b>Eye/Face Protection</b>	Tightly fitting safety goggles. Safety glasses with side-shields. Face-shield.
<b>Skin and Body Protection</b>	Protective gloves.
<b>Respiratory Protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>Hygiene Measures</b>	When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Dark	<b>Odor</b>	Musty
<b>Odor Threshold</b>	No information available	<b>Physical State</b>	Viscous liquid Liquid
<b>pH</b>	UNKNOWN		
<b>Flash Point</b>	No information available.	<b>Autoignition Temperature</b>	No information available
<b>Decomposition Temperature</b>	No information available	<b>Boiling Point/Range</b>	No information available
<b>Melting Point/Range</b>	No information available		
<b>Flammability Limits in Air</b>	No information available	<b>Explosion Limits</b>	No information available
<b>Water Solubility</b>	Reacts with water	<b>Solubility</b>	No information available
<b>Evaporation Rate</b>	No information available	<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available	<b>Partition Coefficient: n-octanol/water</b>	

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under recommended storage conditions.
<b>Incompatible Products</b>	None known.
<b>Conditions to Avoid</b>	None known.
<b>Hazardous Decomposition Products</b>	Carbon oxides.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

#### Product Information

<b>LD50 Oral VALUE</b>	2802.631 mg/kg (rat) estimated
<b>LC50 Inhalation (DUST) VALUE</b>	4.5684 mg/L (mist) (dust) mg/m <sup>3</sup> estimated
<b>Eye Contact</b>	Irritating to eyes.
<b>Skin Contact</b>	Irritating to skin.

### Chronic Toxicity

<b>Chronic Toxicity</b>	Avoid repeated exposure. Repeated contact may cause allergic reactions in very susceptible persons.
-------------------------	---

<b>Target Organ Effects</b>	Eyes. Respiratory system. Skin.
-----------------------------	---------------------------------

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Liquid Binding Agent		LC50: 1.2-2.76 mg/L (96 h ) Brachydanio rerio LC50: 1.2 mg/L (96 h static) Brachydanio rerio		
Liquid Binding Agent		LC50: 2 mg/L (48 h ) Oryzias latipes	EC50 = 0.576 mg/L 30 min	

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging**

Dispose of in accordance with local regulations.

**California Hazardous Waste Codes** 281

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California EHW	California Carc	California Hazardous Waste	California Waste - Part 2
Liquid Binding Agent			Toxic	

**14. TRANSPORT INFORMATION**

<b>DOT</b>	NOT REGULATED
<b>TDG</b>	Not regulated
<b>MEX</b>	Not regulated
<b>ICAO</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG/IMO</b>	Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

TSCA Complies  
 DSL Not determined

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Liquid Binding Agent		30-60	1.0

#### **SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Liquid Binding Agent	X	X	X		X

### International Regulations

#### **Mexico - Grade**

Moderate risk, Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Liquid Binding Agent		Mexico: TWA 0.01 ppm Mexico: TWA 0.11 mg/m <sup>3</sup>
Liquid Binding Agent		Mexico: TWA 0.1 mg/m <sup>3</sup> Mexico: STEL 0.2 mg/m <sup>3</sup>

---

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

D2A Very toxic materials



Chemical Name	NPRI
Liquid Binding Agent	X

**Legend**

NPRI - National Pollutant Release Inventory

**16. OTHER INFORMATION****Revision Date** 20-Sep-2016**Revision Note** No information available**General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**