

# Safety Data Sheet

Issuing Date No data available

Revision Date June-8-2018

Revision Number 2

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** Crack Attack

**Recommended Use** Crack Filler, Joints

**Supplier Address**

TechniSoil Global, Inc.  
5660 Westside Road  
Redding, CA 96001 USA  
Phone: 877-356-2250  
Fax: 866-356-8880  
Email: Info@TechniSoil.com

## 2. HAZARDS IDENTIFICATION

### WARNING!

#### Emergency Overview

Irritating to eyes  
Irritating to skin

May produce an allergic reaction

Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates.

**Appearance** Dark

**Physical State** Viscous liquid, Liquid.

**Odor** Musty

### Potential Health Effects

**Principle Routes of Exposure** Eye contact. Skin contact. Inhalation.

#### **Acute Toxicity**

**Eyes**  
**Skin**

Irritating to eyes.

Irritating to skin. Will bond to skin May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

**Inhalation**  
**Ingestion**

No known effect based on information supplied.

No hazard from product as supplied. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Chronic Effects**

Avoid repeated exposure. Repeated contact may cause allergic reactions in very susceptible persons.

#### **Aggravated Medical Conditions**

Allergies. Skin disorders. Respiratory disorders. Pre-existing eye disorders.

#### **Interactions with Other Chemicals**

Irritants. Sensitizers. Epoxies. Use of alcoholic beverages may enhance toxic effects.

#### **Environmental Hazard**

See Section 12 for additional Ecological Information.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name        | CAS-No      | Weight % |
|----------------------|-------------|----------|
| Aggregate Blend      | Proprietary | 100      |
| Liquid Binding Agent | Proprietary | 60-100   |
| Liquid Binding Agent | Proprietary | 30-60    |
| Liquid Binding Agent | Proprietary | 1 - 5    |
| Liquid Binding Agent | Proprietary | 1 - 5    |

### 4. FIRST AID MEASURES

|                                   |  |
|-----------------------------------|--|
| <b>General Advice</b>             | Immediate medical attention is required. If symptoms persist, call a physician.  |
| <b>Eye Contact</b>                | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician immediately.   |
| <b>Skin Contact</b>               | Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Do not remove clothing if adhering to skin. If skin has bonded to clothing or other skin NEVER pull the area apart. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Immediate medical attention is required. |
| <b>Inhalation</b>                 | Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.  |
| <b>Ingestion</b>                  | Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.  |
| <b>Notes to Physician</b>         | Treat symptomatically. May cause sensitization of susceptible persons.   |
| <b>Protection of First-aiders</b> | Use personal protective equipment. Avoid contact with skin, eyes and clothing.   |

### 5. FIRE-FIGHTING MEASURES

|  |   |
|--|---|
| <b>Flammable Properties</b>  | Not flammable.  |
| <b>Flash Point</b>   | Not determined.   |
| <b>Suitable Extinguishing Media</b>  | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |
| <b>Uniform Fire Code</b>   | <ul style="list-style-type: none"> <li>• Toxic: Liquid</li> <li>• Sensitizer: Liquid</li> </ul>   |
| <b>Hazardous Combustion Products</b>   | Carbon oxides.  |
| <b><u>Explosion Data</u></b>   |   |
| <b>Sensitivity to Mechanical Impact</b>  | No.   |
| <b>Specific Hazards Arising from the Chemical</b>  | Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. |
| <b>Sensitivity to Static Discharge</b>   | No.   |
| <b>Protective Equipment and Precautions for Firefighters</b>   |   |
| As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |   |

|             |                        |                       |                    |  |
|-------------|------------------------|-----------------------|--------------------|--|
| <b>NFPA</b> | <b>Health Hazard 2</b> | <b>Flammability 0</b> | <b>Stability 0</b> | <b>Physical and Chemical Hazards -</b> |
|-------------|------------------------|-----------------------|--------------------|--|

## 6. ACCIDENTAL RELEASE MEASURES

|                                  |   |
|----------------------------------|---|
| <b>Personal Precautions</b>      | Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.  |
| <b>Environmental Precautions</b> | Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.                         |
| <b>Methods for Containment</b>   | Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal. |
| <b>Methods for Cleaning Up</b>   | Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labeled containers.                                  |

## 7. HANDLING AND STORAGE

|                 |   |
|-----------------|---|
| <b>Handling</b> | Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. |
| <b>Storage</b>  | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers.  |

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines

| Chemical Name        | ACGIH TLV   | OSHA PEL   | NIOSH IDLH  |
|----------------------|---|--|---|
| Liquid Binding Agent | TWA: 0.005 ppm  | (vacated) S*<br>(vacated) Ceiling: 0.01 ppm<br>(vacated) Ceiling: 0.11 mg/m <sup>3</sup> | Ceiling: 0.01 ppm<br>Ceiling: 0.11 mg/m <sup>3</sup>                            |
| Liquid Binding Agent | STEL: 0.2 mg/m <sup>3</sup> Sn<br>TWA: 0.1 mg/m <sup>3</sup> Sn<br>S* | TWA: 0.1 mg/m <sup>3</sup> Sn<br>(vacated) TWA: 0.1 mg/m <sup>3</sup> Sn<br>(vacated) S* | IDLH: 25 mg/m <sup>3</sup> Sn<br>TWA: 0.1 mg/m <sup>3</sup> except Cyhexatin Sn |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

|                                      |   |
|--------------------------------------|---|
| <b>Other Exposure Guidelines</b>     | Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).   |
| <b>Engineering Measures</b>          | Showers<br>Eyewash stations<br>Ventilation systems  |
| <b>Personal Protective Equipment</b> |   |
| <b>Eye/Face Protection</b>           | Tightly fitting safety goggles. Safety glasses with side-shields. Face-shield.  |
| <b>Skin and Body Protection</b>      | Protective gloves.  |
| <b>Respiratory Protection</b>        | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.  |
| <b>Hygiene Measures</b>              | When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs. |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                   |                           |   |                          |
|-----------------------------------|---------------------------|---|--------------------------|
| <b>Appearance</b>                 | Dark                      | <b>Odor</b>                                   | Musty                    |
| <b>Odor Threshold</b>             | No information available  | <b>Physical State</b>                         | Viscous liquid Liquid    |
| <b>pH</b>                         | UNKNOWN                   |   |                          |
| <b>Flash Point</b>                | No information available. | <b>Autoignition Temperature</b>               | No information available |
| <b>Decomposition Temperature</b>  | No information available  | <b>Boiling Point/Range</b>                    | No information available |
| <b>Melting Point/Range</b>        | No information available  |   |                          |
| <b>Flammability Limits in Air</b> | No information available  | <b>Explosion Limits</b>                       | No information available |
| <b>Water Solubility</b>           | Reacts with water         | <b>Solubility</b>                             | No information available |
| <b>Evaporation Rate</b>           | No information available  | <b>Vapor Pressure</b>                         | No data available        |
| <b>Vapor Density</b>              | No data available         | <b>Partition Coefficient: n-octanol/water</b> |                          |

## 10. STABILITY AND REACTIVITY

|   |  |
|---|--|
| <b>Stability</b>                        | Stable under recommended storage conditions. |
| <b>Incompatible Products</b>            | None known.                                  |
| <b>Conditions to Avoid</b>              | None known.                                  |
| <b>Hazardous Decomposition Products</b> | Carbon oxides.                               |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.     |

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

#### Product Information

|                                     |   |
|-------------------------------------|---|
| <b>LD50 Oral VALUE</b>              | 2802.631 mg/kg (rat) estimated                        |
| <b>LC50 Inhalation (DUST) VALUE</b> | 4.5684 mg/L (mist) (dust) mg/m <sup>3</sup> estimated |
| <b>Eye Contact</b>                  | Irritating to eyes.                                   |
| <b>Skin Contact</b>                 | Irritating to skin.                                   |

### Chronic Toxicity

|                             |   |
|-----------------------------|---|
| <b>Chronic Toxicity</b>     | Avoid repeated exposure. Repeated contact may cause allergic reactions in very susceptible persons. |
| <b>Target Organ Effects</b> | Eyes. Respiratory system. Skin.   |

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name        | Toxicity to Algae | Toxicity to Fish  | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|----------------------|-------------------|---|----------------------------|----------------------------|
| Liquid Binding Agent |                   | LC50: 1.2-2.76 mg/L (96 h )<br>Brachydanio rerio<br>LC50: 1.2 mg/L (96 h static)<br>Brachydanio rerio |                            |                            |
| Liquid Binding Agent |                   | LC50: 2 mg/L (48 h ) Oryzias<br>latipes   | EC50 = 0.576 mg/L 30 min   |                            |

## 13. DISPOSAL CONSIDERATIONS

### Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

### Contaminated Packaging

Dispose of in accordance with local regulations.

### California Hazardous Waste Codes 281

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name        | California EHW | California Carc | California Hazardous Waste | California Waste - Part 2 |
|----------------------|----------------|-----------------|----------------------------|---------------------------|
| Liquid Binding Agent |                |                 | Toxic                      |                           |

## 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

**TDG** Not regulated

**MEX** Not regulated

**ICAO** Not regulated

**IATA** Not regulated

**IMDG/IMO** Not regulated



